





SAP INTERNATIONAL CORPORATION byba Krekelenberg 69, B-2980 Zoersel, Belgium Tel. +32-3-309.06.51 Fax. +32-3-309.19.31 Email: info@sico.be







Information

SICOMIX® - OUR LINE OF SLOW-RELEASE FERTILISERS IN TABLETS AND POWDER

SICOMIX® is a line of special complete high-nutrient chloride-free slow release fertilisers. Depending on the climate and the soil condition both manufactured forms - tablets and powder - are marked by a slow and pro-longed release of nutrients lasting for up to 18 months. The line of slow release fertilisers SICOMIX® is thus designated for fertilisation and supplemental fertilisation of a wide range of perennial and long-living cultures. In modern horticulture and forestry, slow-release fertilisers (SRFs) in tablets have proven **superior to conventional fast release fertilizers (FRFs)**.

The slow and gradual action of the SICOMIX® fertilisers is due to the decomposition of Ureaform (urea-formaldehyde, Methyleneurea) polycondensates in the soil as the principal source of nitrogen. Ureaform chains of different lengths exhibit various water solubilities; at least 50 to 70 percent of total nitrogen is available in water-insoluble form, depending on the fertiliser composition. Unlike with the conventional FRFs, the use of slow release fertilisers SICOMIX® **prevents undesirably high concentrations of nitrogen** in the soil at the beginning of fertilisation. Consequently, the nitrogen leaching from the soil does not increase.

An important feature of slow release fertilisers SICOMIX® is the content of sparingly soluble alkaline potassium-magnesium phosphate that guarantees a slow action of the other essential nutrients - phosphorus, potassium and magnesium - while having a positive effect on the pH of acidic soils.

The high nutrient content, the limited solubility and the absence of undesirable additives (e.g., chlorides) increase the number of possible applications of the slow release fertilisers SICOMIX®. Through all their qualities, they are **environmentally friendly.**

The slow release fertiliser tablets SICOMIX® bring about a number of advantages. Most importantly, the tablets are particularly well suited for fertilisation of plants with longer period of growth (perennial plants), especially at poorly accessible sites or where conventional methods of fertilisation cannot be used. The fertiliser tablets are ideal for separate fertilisation of each individual plant; they create a sufficient supply of nutrients in the soil or substrate without the risk of undesired increase in the soil concentration and losses due to leaching of the nutrients. The application is simple and targeted; it allows an accurate dosage of the nutrients, and reduces the unproductive fertilisation beyond the reach of the root systems.

The slow release fertiliser tablets SICOMIX @ are applied into vessels or on loose soil. Standard fertilising tablets are available in the weights of 5, 10 and 15 grams, respectively. Fertiliser tablets of non-standard weights can be produced on request.

The slow release fertiliser tablets SICOMIX® are particularly suited for the planting of forest seedlings (especially on the areas affected by emissions or soil erosion), ornamental and fruit-bearing trees, bushes and flowers, vineyards, hopgardens, strawberry plants, raspberry, gooseberry and currant bushes, trees and bushes alongside roads, plants on recultivated areas, etc.

Start-fertilising efficiency is beneficial for the planting of tropical and subtropical species, e.g., coconut and oil palms, olivetrees, coffee, cocoa, tea, citruses, oranges, bananas, avocados, mangos, papayas, dates, eucalyptus, rubber, tung, shorea, tectona, pistachio, macadamia and cashew nuts, etc.

The use of slow release fertiliser tablets SICOMIX® leads to **considerable savings in time and labor**, and decreased need for supplemental fertilisations. The tedious and questionable blending of a substrate with conventional fertilisers is rendered unnecessary. Also important is the economic effect brought about by improved growth of seedlings, by shortening the flowering cycles and by wood increments.





The release of nutrients from slow release fertilisers SICOMIX® depends on the chemistry, biological activity and water regime of the soil, but also on the chemotropism of plants. The nutrients can be utilized during the course of multiple vegetation periods. Limited solubility of the nutrients and the high degree of their uptake by plants prevent their excessive dissolution into the soil and surface waters. The powdered form of SICOMIX® slow release fertilisers is especially well suited for the powdering applications to young seedlings in nurseries. Special forest and garden substrates can be made by blending the powdered SICOMIX® slow release fertilisers with peat.

The SICOMIX® slow release fertilisers have been thoroughly evaluated by chemical analysis and plant nutrition studies. Lab tests have shown a markedly lower solubility of all nutrients compared to standard FRF fertilisers. All tests conducted under different experimental conditions have clearly documented that the nutrients are released slowly from the slow release fertiliser tablets and powders, and confirmed that the application of SICOMIX® tablets secures a higher degree of nutrient utilisation and reduces losses due to retrogradation and washing out into ground waters. The full advantage of the environmental friendliness of the SICOMIX® tablets can be taken in regions affected by emissions or in regions serving as water supply sources.

Long-term examination of mechanical properties of the SICOMIX® slow release fertiliser tablets and powder has proved their dependable strength and minimum abrasive wear on storage under outdoor conditions. Growth tests, established by several prestigious institutions authorized to carry out testing of new types of fertilisers, showed that the SICOMIX® slow release fertilisers fully satisfy the requirements for stock and environmentally friendly fertilisers.

Fertiliser Applications

THE APPLICATION OF THE TABLETTED AND POWDERED FERTILISERS OF THE SICOMIX® LINE

1. The tabletted SICOMIX®fertilisers

The tabletted SICOMIX® fertilisers allow the spot application which, when carried out properly, guarantees a considerably better utilisation of the supplied nutrients compared to other complex fertilisers applied broadly. The release of the nutrients from SICOMIX® into the soil continues for a period of up to 18 months depending on the local climatic and pedological conditions. SICOMIX® can be successfully applied into free soil to newly established cultures (e.g., to 1-4 years old forest trees) and to seedlings in nurseries or in flower pots.


2. The application of the tabletted SICOMIX® fertilisers into free soil

The number of the SICOMIX® tablets (10-15 g each) applied to each seedling is 4-5 (Fig. 1). The distance of the tablets from the seedling stem corresponds to the perimeter of the seedling top projection onto the soil surface. The tablets should not be placed closer than 15 cm from the seedling stem. The distance should not exceed the perimeter of the seedling top projection by more than 10 cm. Depending on the local climatic, soil and technical conditions, the SICOMIX® tablets are either placed below the soil surface at the depth of the side roots at the edge of the planting hole, about 15 cm from the seedling stem (Fig. 2), or they are put directly onto the soil surface. The tablets can alternatively be worked in closely below the soil surface by stepping on them (Fig. 3). Root level application partially prevents undesirable co-fertilisation of weed.

3. The application of the tabletted SICOMIX® fertilisers in flower pots

<u>Plantation fertilisation</u>: The tablets are to be laid on a layer of soil under the root bundle (Fig. 4). If more tablets are applied, they are placed evenly around the girth of the root system. Recommended application - one tablet (5-10 g each) per 1 liter of soil.

Supplemental fertilisation: The tablets are to be placed evenly either onto the soil surface or just below the surface at the distance of 5-10 cm from the plant stem (Fig. 5). Recommended application - one tablet (5-10 g each) per 1 liter of soil.







4. The application of the powdered SICOMIX® fertilisers into free soil

The powdered SICOMIX® fertilisers are applied by powdering 200-400 g onto each square meter of the soil surface or, alternatively, they are placed just below the surface. Repeated application with a half portion (100-200 g/m2) is recommended in the following year. For the production of forest or garden substrates, at least 3 kg of the powdered fertiliser should be mixed with 1 m3 of peat and/or mould. The application of the powdered SICOMIX® fertilisers is **very popular in forest seedling fertilisation in nurseries**.

5. The period of application

The tabletted or powdered SICOMIX® fertilisers are applied during the spring and summer seasons until the end of July. The fertilisers are successfully applied to the seedlings during the spring time in the year of plantation or in the following year. Depending on the local conditions, the fertilisers are applied at the latest in the fall (September or October). The application of the SICOMIX® fertilisers onto snow is functionally inappropriate.

Professional Packagings

All fertilizer tablets (5, 10, 15 g sizes) are available in the following packagings:

- a) 20 kg polypropylene (PP) bags with polyethylene (PE) liner
- b) 10 kg cardboard boxes
- c) 5 kg plastic (PP) buckets with handle
- d) 1 kg plastic (PP) buckets with handle

All weights are net. Packagings are labeled in English, other language versions are made on request.

20 kg Packaging:

Woven PP bag with PE liner, sewn-closed. Label is sticked on the larger side of the bag or sewn into the seam seal. dimensions (W x H): 50 x 65 cm

10 kg Packaging:

White 5-layer cardboard box, heavy duty (100 kg capacity), with tape-sealed top and bottom. Label is sticked or printed on the larger size of the box.dimensions (L x W x H): 29.7 x 26.4 x 20.7 cm

5 kg Packaging:

Green and/or white PP bucket with a lid, elliptically shaped, equipped with a metal carrying handle. Label is sticked around the bucket perimeter. dimensions (Lmax x Wmax x H): 27.5 x 20 x 19 cm For transportation, each bucket is placed into a tape-sealed 5-layer cardboard box. dimensions of box (L x W x H): 29.7 x 26.4 x 20.7 cm

1 kg Packaging:

Green and/or white PP bucket with a lid equipped with a metal carrying handle. Label is sticked around the bucket perimeter. The lid is equipped with a breakaway locking tab.dimensions (W x H): 13.5 x 12 cm For transportation, 5 buckets are placed into a tape-sealed 5-layer cardboard box. dimensions of box (L x W x H): 39.5 x 28 x 13 cm











Standard Stowage

20 kg Packagings

- PP bags with PE liner Total of 50 bags are stacked on a EUR pallet (800 x 1200 mm) in 7 layers, tied with 2 plastic straps and stretch wrapped.

net weight: 1000 kg gross weight: 1030 kg load height: 160 cm

10 kg Packagings

up to 9 layers of cardboard boxes
 Total of 108 boxes are stacked on a EUR pallet (800 x 1200 mm) in 9 layers,
 each containing 12 boxes. The layers are separated by cardboard inserts.
 Boxes on the pallet are tied with 2 plastic straps, shrink wrapped and then stretch wrapped.

net weight: 1080 kg gross weight: 1170 kg load height: 209 cm

5 kg Packagings

- Plastic buckets

Total of 80 buckets are stacked on a EUR pallet (800 x 1200 mm) in 5 layers, each containing 16 buckets. The layers are separated by cardboard inserts. The buckets on the pallet are shrink wrapped and then stretch wrapped.

net weight: 400 kg gross weight: 450 kg load height: 115 cm

1 kg Packagings

- Plastic buckets

Total of 400 buckets are stacked on a EUR pallet (800 x 1200 mm) in the following way: 5 buckets are placed into a tape-sealed 5-layer cardboard box (L x W x H = $39.5 \times 28 \times 13$ cm). The boxes are stacked on the pallet in 10 layers, each containing 8 boxes. The layers are separated by cardboard inserts. The boxes

8 boxes. The layers are separated by cardboard inserts. The boxes on the pallet are tied with 2 plastic straps, shrink wrapped and then stretch wrapped.

net weight: 400 kg gross weight: 480 kg load height: 150 cm





SAP INTERNATIONAL CORPORATION byba Krekelenberg 69, B-2980 Zoersel, Belgium

Tel. +32-3-309.06.51 Fax. +32-3-309.19.31 Email: info@sico.be Website: www.sico.be





DESCRIPTION

SICOMIX is a range of mixed EDTA chelated micronutrients, designed for treating and preventing one or more manifest or suspected micronutrient deficiencies. SICOMIX assures high quality crops and high yield. The chelated form also assures a rapid penetration in foliar application and prolonged availability in soil application.

ANALYSIS

Magnesium Oxide (MgO)	9 %	
Boron (B)	0.5%	
Iron (Fè)	4 %	
Manganese (Mn)	4 %	
Zinc (Zn)	1.5 %	
Copper (Cu)	1.5 %	
Molybdenum (Mo)	0.1 %	

Copper, Iron, Manganese and Zinc are EDTA chelated. MgO is partially EDTA chelated.

DIRECTIONS FOR USE

FOLIAR APPLICATION		
Cereals Cotton, Soybean, Sugar Cane, Sugar Beets Grapes Citrus, apples, pears Peaches, nectarines, apricots, cherries, plums Cocoa, coffee Vegetables Ornamentals	During tillering until the end: 1-1.5 kg/ha One application: 1-1.5 kg/ha Apply 2 to 3 times: 100-150 g/hl Apply 2 to 4 times: 100-150 g/hl Apply 2 to 3 times: 50-100 g/hl Apply 2 to 3 times: 100-150 g/hl Apply 2 to 3 times: 100-150 g/hl Outdoor: 100-150 g/hl * Indoor: 50-80 g/hl 50-80 g/hl	
FERTIGATION		
Fruit crops Vegetables Ornamentals	Treatment: 10-30 kg /ha Prevention: 3-6 kg/ha Additional applications when harvest is phased: 3-6 kg/ha	

PRECAUTIONS

No health hazard is involved when SICOMIX Premium Nr. 5 is used as directed Wash hands before meals and after work
 Keep any unused powder in its original content. but it is advisable to:

Keep any unused powder in its original sealed packing 3. Store away from children, pets, livestock and foodstuffs

HEALTH AND SAFETY

Detailed information on handling and any precautions to be observed in the use of the product(s) described on this label can be found in our relevant Health and Safety information sheet.

No liability: the statements made on this label are believed to be true and accurate but because of conditions of use which are beyond our control, SICO does not make nor does it authorise any agent or representative to make any warranty or representation, expressed or implied concerning this material or the use thereof, except in conformity with the statements on the label. Neither SICO nor the seller shall be responsible in any manner for any personal injury or property damage or loss resulting to the buyer or to other persons from handling, storage or use of this material not in accordance with directions. The buyer assumes all risks and liability resulting from improper handling, storage or use and accepts and uses this material on these conditions.





SAP INTERNATIONAL CORPORATION byba

Krekelenberg 69, B-2980 Zoersel, Belgium Tel. +32-3-309.06.51 Fax. +32-3-309.19.31 Email: info@sico.be Website: www.sico.be

Batchnr.: 12975 M Prod. date: 01/2016 Exp. date: 01/2021













BASIC PROPERTIES

TEASER

- The Slow Release Fertiliser tablets are special fertilisers. They contain great amount of primary nutrients (nitrogen, phosphorus, potassium), important secondary nutrients (magnesium, calcium, sulfur) and the trace elements (iron, copper, zinc, molybdenum and boron) as well. Undesirable elements are not present (chlorides).
- The fertiliser tablets are mechanically rigid. The special chemical composition of formulations involving Ureaform. (Urea formaldehyde) and potassium magnesium phosphates enables the soil to be supplied gradually for 6-24 months by the nutrients (depending on the soil and the climate conditions).
- In addition to slow releasing nitrogen from Ureaform the fertilising tablets contain a small portion (10-20%) of startup fast releasing nitrogen as well.
- Each tablet is a precisely made dosage of fertiliser (for instance 5 g, 10 g, 15 g, etc..) which is easy and individually applied to plant. Root level application prevents partly weed fertilisation.
- Due to the effect of slow releasing of nutrients and to the application of tablets in the close range of the plant root system the nutrients are used without any loss. The releasing of nutrients outside the root system is minimal.
- The randomly overdosing does not cause plant damage. Nevertheless, it is not recommended to place the tablets in the bottom of the planting hole. The tablets must not touch the roots.
- The tablets are either placed under the soil surface at the depth of the side roots at the edge of the planting hole or they are put directly onto the soil surface (see Figures). The number of applied tablets depend on the age of plants (see the table). If more tablets are applied they are placed symmetric around the girth of the root system.
- The fertiliser tablet dissolves very slowly. It is not recommended to apply the tablets in a solution and/or crush the tablets into powder.
- The slow release fertiliser tablets are marked environmental friendly compared to the fast releasing agricultural ones.
- Our 18 different formulations in tablets are the basic offer convenient for the broad usage of plants and soil conditions.

RECOMMENDED USE

Our Slow Release Fertiliser tablets can be used universally. Due to very slow dissolving of nutrients to the soil they are ideally suited especially for the fertilising of perennial plants and young seedling plants (1-4 old) primarily in regions with rigorous demands on an environmentally safe approach to plant nutrition. The tablets are applied on free land, greenhouses and into vessels respectively as well as they are used for supplemental fertilisation of plants grown on free land, in pots and in · Fruit, ornamental and forest trees and shrubs containers:


- · Flower shrubs, flowers
- Conifers and bonsai trees
- Tropical and subtropical plants
- · Wetland plants (water-lily)
- · All perennial plants growing on unfertile, acidic, eroded and degraded soils (including the forest, reclaimed soils, mine dumps, areas around the roads and high ways).


OUR CUSTOMERS

Professionals

Forest people, ornamental garden people, landscape planners, fruit-growers, plantation-owners (tea-shrubs, cotton-plants, palms, banana-trees, coffee-trees, citrus fruit trees, orange trees, olives, nut trees etc.), reclaiming companies, producers of water-lilies, maintaining of municipal greenery, amenity planting around the roads and high-ways.







tablet

Fig.2 Fig. 1 Fig.3 Fig.4

